



# HYT LabKit with USB-Interface


## Digital Humidity and Temperature LabKit

### Optimal as Plug & Play for a fast evaluation of the HYT modules

#### Benefits & Characteristics

- PC LabKit with USB-Interface
- Supports HYT 221, HYT 271 and HYT 939
- Calculation of further humidity parameters
- Plug-in connection adapter included
- Only one sensor per LabKit applicable
- Temperature and relative humidity display
- Dew/frost point calculation and further parameters
- Graphic presentation of the measured values
- Evaluation software RECORDER and PCLOG for Windows included

#### Illustration



#### Technical Data<sup>1)</sup>

	Humidity	Temperature
Operating range:	0 % RH to 100 % RH	-40 °C to +85 °C
Accuracy:	±1.8 % RH at 23 °C (0 % RH to 90 % RH)	±0.2 K (0 °C to +60 °C)
Resolution:	0.02 % RH	0.015 °C
PC-connection:	USB, 1.1 or 2.0 compatible	
Power supply:	over USB	

<sup>1)</sup> For further technical information see application note

#### Order Information<sup>1)</sup>

Order code	HYT LabKit 150.00073
------------	-------------------------

<sup>1)</sup> The LabKit does not contain any sensors. The sensors must be ordered separately.



## Additional Documents

---

	Document name:
Datasheet:	DHHYT271_E
Datasheet:	DHHYT221_E
Datasheet:	DHHYT939_E
Application note:	AHHYTM_E



Innovative Sensor Technology IST AG, Stegrütistrasse 14, 9642 Ebnat-Kappel, Switzerland  
Phone: +41 71 992 01 00 | Fax: +41 71 992 01 99 | Email: [info@ist-ag.com](mailto:info@ist-ag.com) | [www.ist-ag.com](http://www.ist-ag.com)

All mechanical dimensions are valid at 25 °C ambient temperature, if not differently indicated • All data except the mechanical dimensions only have information purposes and are not to be understood as assured characteristics • Technical changes without previous announcement as well as mistakes reserved • The information on this data sheet was examined carefully and will be accepted as correct; No liability in case of mistakes • Load with extreme values during a longer period can affect the reliability • The material contained herein may not be reproduced, adapted, merged, translated, stored, or used without the prior written consent of the copyright owner • Typing errors and mistakes reserved • Product specifications are subject to change without notice • All rights reserved